# MATERIAL SAFETY DATA SHEET

# Salt Solution, "The Purple Stuff"

Identity (Trade name as used on label)

 Manufacturer
 MSDS #

 Jack's Magic Products, Inc.
 N/A

 Address
 CAS #

 6950 112<sup>th</sup> Circle
 N/A

 Date Prepared

 Largo, FL 33773
 6/1/99

 Phone # (for information)
 Prepared By

 1-800-348-1656
 N/A

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

## **SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS – Chemical Name & Common Name	%	OSHA	ACHH	OTHER LIMITS
(Hazardous Components 1% or greater, carcinogens 0.1% or greater)		PEL	TLV	RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyelthylidene-1, 1-diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

# **SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS**

Boiling Point	Specific Gravity ( $H_2 = 1$ )		
>100 deg. C (212 deg. F)	1.09 - 1.19 @ 25 deg. C		
Vapor Pressure (mm/Hg and Temperature)	Melting Point		
Similar to water	N/A		
Vapor Density (Air = 1)	Evaporation Rate		
Similar to water	N/A		
Solubility in Water	Water Reactive		
Complete	N/A		
Appearance and Color			

Clear purple (may turn straw-colored to light amber if dye fades) liquid; slight odor.

#### SECTION 3 – FIRE AND EXPLOSION DATA

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
Non-flammable	N/A	N/A	N/A	N/A

Extinguisher Media

### Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is not present.

Unusual Fire and Explosion Hazards

Although this material does not meet the parameters for flammability, it will burn in the presence of a strong ignition source after the water is removed.

<b>SECTION 4 – REACTIVITY HA</b>	AZARD DATA			
Stability Conditions to Avoid				
☐ Stable ☐ Unstable ☐ Avoid contact with strong ox	Avoid contact with strong oxidizing agents.			
Incompatibility (Materials to Avoid)	idizing agents.			
Oxidizers December Products				
Hazardous Decomposition Products  None known.				
Hazardous Polymerization Conditions to Avoid    Will Not Occur				
	strong oxidizing agents.			
SECTION 5 – HEALTH HAZAR	D DATA			
Primary Routes of Entry	Carcinogen Listed In			
☑ Inhalation     ☑ Ingestion     ☑ Skin Absorption     ☐ Not Hazardous	│ □ NTP □ OSHA □ IARC Monograph □ Not Listed			
Health Hazards				
Acute: May cause skin and eye burns.				
Chronic: None known.				
Signs and Symptoms of Exposure				
May cause skin and eye burns.				
Medical Conditions Generally Aggravated by Exposure <b>None known.</b>				
Emergency First Aid Procedures				
See below.  Eye Contact				
Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids open during washing. See a physician if irritation occurs.				
Skin Contact Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Thoroughly wash before reuse or discard. See a physician if irritation occurs.				
Inhalation Remove patient from contaminated area. Give oxygen if needed. See a physician if irritation of respiratory				
Ingestion				
Do not induce vomiting. Drink a quart of water. (Do not give food to an unconscious person). Seek immediate medical attention.				
SECTION 6 – CONTROL AND PROTECTIVE MEASURES				
Respiratory Protection (Specific Type)				
None required for normal operations.  Protective Gloves	Eva Protection			
Impervious gloves	Eye Protection Splash-proof safety goggles.			
Ventilation To Be Used ☐ Local Exhaust ☐ Mechanical (general) ☐ S	pecial 🛛 Other (specify): Normal room ventilation.			
Other Protective Clothing and Equipment				
Wear protective clothing to minimize skin contact and chemical resistant safety shoes.  Hygienic Work Practices				
Do not get in eyes, on skin, or on clothing. Avoid breathing vapor and mist. Handle with due care.				
<b>SECTION 7 – PRECAUTIONS</b>	FOR SAFE HANDLING AND USE			
Steps to be taken of material is spilled or released  Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, ect.) and transfer to separate containers for disposal.				
Water Disposal Methods Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.				
Precautions to be taken in handling and storage  Avoid contact with skin and eyes. Avoid contact with strong oxidizers. Keep out of reach of children.				
Avoid contact with skin and eyes. Avoid contact w  Other Precautions and/or Special Hazards	ith strong oxidizers. Keep out of reach of children.			

N/A