# PRO PACKAGING, INC./OREQ CORPORATION 42306 Remington Avenue Temecula CA 92590

## ClearView® material safety data sheet

INFORMATION ON THIS FORM IS FURNISHED SOLELY FOR THE PURPOSE OF COMPLIANCE WITH THE OCCUPATIONAL SAFETY AND HEALTH ACT OF 1970 AND SHALL NOT BE USED FOR ANY OTHER PURPOSE USE OR DISSEMINATION OF ALL OR ANY PART OF THIS INFORMATION FOR ANY OTHER PURPOSE MAY RESULT IN A VIOLATION OF LAW OR CONSTITUTE GROUNDS FOR LEGAL ACTION

#### **SECTION I**

MANUFACTURER'S NAME	EMERGENCY TELEPHONE
PRO PACKAGING, INC.	CHEMTREC 1-800-424-9300

TRADE NAME AND SYNONYMS ClearView® pH DOWN

CHEMICAL NAME AND SYNONYMS

SODIUM BISULFATE

CHEMICAL FAMILY
INORGANIC ACID SALT

Rahso<sub>4</sub>

### SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT HAZARD DATA

SODIUM BISULFATE 93.2% CAUSES EYE AND SKIN IRRITATION SODIUM SULFATE 6.5% (PEL OSHA PPM) – NOT ESTABLISHED

## SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT	BULK DENSITY	
338°F (170°C)	83lb/ft <sup>3</sup>	
WARON DRESSURE (MM II)	VADOD DENCITY (AID_1)	
VAPOR PRESSURE (MM Hg.)	VAPOR DENSITY (AIR=1)	
N/A	N/A	
SOLUBILITY IN WATER	MELTING POINT	
100%	350°F	
APPEARANCE AND ODOR	EVAPORATION RATE	
OFF WHITE CRYSTALLINE SOLID, ODORLESS	(BUTYL ACETATE=1) - NOT ESTABLISHED	

## SECTION IV - FIRE AND EXPLOSION HAZARDS

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS
WILL NOT BURN	NOT ESTABLISHED

**EXTINGUISING MEDIA -** WATER OR DRY CHEMICAL AS APPROPRIATE FOR COMBUSTIBLES IN AREA. AVOID WATER CONTACT TO MATERIAL IF POSSIBLE.

**SPECIAL FIRE FIGHTING PROCEDURES** – IF WATER IS USED TO EXTINGUISH COMBUSTIBLES AND PRODUCT IS DISSOLVED IN WATER FORMING SULFURIC ACID, WEAR ACID PROTECTIVE EQUIPMENT. IF ELEVATED TEMPERATURES (>570°F) ARE REACHED, SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

UNUSUAL FIRE AND EXPLOSION HAZARDS – PRODUCT READILY DISSOLVES IN WATER TO FORM A WEAK SULFURIC ACID SOLUTION. NO GAS OR TOXIC FUMES ARE EMITTED.

#### SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE – NOT ESTABLISHED TOXICITY – CAN CAUSE EYE AND SKIN BURNS

ROUTES OF ENTRY - INHALATION, EYE CONTACT, SKIN CONTACT, INGESTION

**EFFECTS OF OVER-EXPOSURE** – EYE IRRITATION AND SKIN IRRITATION CAN OCCUR; PROLONGED EXPOSURE CAN LEAD TO BURNS.

EMERGENCY AND FIRST AID PROCEDURES – EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING LIDS OPEN, SEEK MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR LOCATION. IF IRRITATION OR DISCOMFORT PERSISTS, SEEK MEDICAL ATTENTION. SKIN: FLUSH WITH WATER FOR 15 MINUTES, WASH CONTAMINATED CLOTHES. INGESTION: DRINK LARGE QUANTITIES OF WATER AND FOLLOW WITH MILK OF MAGNESIA, VEGETABLE OIL, OR BEATEN EGG, SEEK MEDICAL ATTENTION. DO NOT INDUCE VOMITING.

#### SECTION VI - REACTIVITY DATA

STABILITY	CONDITIONS TO AVOID
STABLE	NONE KNOWN

**INCOMPATIBILITY** – AVOID CONTACT WITH STRONG ALKALINE MATERIAL SUCH AS CAUSTIC. DO NOT MIX WITH LIQUID CHLORINE BLEACH, AMMONIA CLEANSERS, OR SIMILAR PRODUCTS.

**HAZARDOUS DECOMPOSITION PRODUCTS** – AT TEMPERATURES OVER 806°F, PRODUCT WILL DECOMPOSE, GENERATING OXIDES OF SULFUR.

## HAZARDOUS POLYMERIZATION

WILL NOT OCCUR

#### SECTION VII - PRECAUTIONS FOR SAFE HANDLING

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED – PICKUP AS MUCH MATERIAL AS POSSIBLE WITH SHOVEL OR OTHER TOOL. NEUTRALIZE BALANCE OF SPILL WITH WEAK ALKALINE SOLUTION.

**WASTE DISPOSAL METHOD** – DISSOLVE WASTE IN WATER, NEUTRALIZE WITH WEAK BASE AND FLUSH TO INDUSTRIAL SEWER IF ALLOWED BY LOCAL REGULATIONS OR SEND TO AN AQUEOUS WASTE DISPOSAL FACILITY.

## SECTION VIII - CONTROL MEASURES

#### RESPIRATORY PROTECTION

NOT NORMALLY REQUIRED. WEAR DUST MASK WHERE HEAVY DUSTING OCCURS.

VENTILATION	LOCAL EXHAUST	SPECIAL
	USE TO MINIMIZE DUST	NONE
	MECHANICAL -USE FOR GENERAL AREA CONTROL	OTHER - NONE

PROTECTIVE GLOVES	EYE PROTECTION
RUBBER GLOVES	SAFETY GOGGLES OR GLASSES

## OTHER PROTECTIVE EQUIPMENT

LONG SLEEVED CLOTHING AND BOOTS

#### **SECTION IX - SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING – AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE WHERE EXPOSED TO MOIST CONDITIONS OR NEAR ALKALIS.

## OTHER PRECAUTIONS

**NONE** 

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER